



Mounting module

The mounting module is a suitable addition to the immersion float switch 20991102. The mounting module has up to 4 cable glands with which the immersion float switches are fixed. The screw connection allows maximum flexibility by free definition of the switching point height and results in low installation effort.

Product characteristics

- Suitable for immersion float switch 20991102
- G1 or G2 thread
- up to 4 switching points can be realised
- Switching point height flexibly adjustable by means of cable gland
- Materials: PA6 (mounting module) and NBR (seal)

Technical drawing

IMAGE 1/2





IMAGE 2/2



Properties

Attribute	35020501	35020502
Suitable for	20991102	
Included with delivery	1xKabelverschraubung, 1xNiveauekopf, 1xDichtring	4xKabelverschraubung, 1xNiveauekopf, 1xDichtring, 3xBlindstopfen

Material information

Attribute	35020501	35020502
Material	PA6 GF30	
Sealing material	NBR	

Environmental conditions

Attribute	35020501	35020502
Operating temperature min.	-40 °C	
Operating temperature max.	90 °C	

Installation

Attribute	35020501	35020502
Installation	from above	
Mounting type	screwed	
Thread	G 1	G 2
Installation opening	G1	G2
Torque	75 N m	125 N m
Number of cable glands	1	4